

REQUIRED INSPECTIONS

1. SITE WORK INSPECTION INCLUDING:

REMOVAL OF ALL GRASS

FILL

DETENTION

DRAINAGE

2. FORM SET INSPECTION

3. ELEVATION INSPECTION

4. BASE FLOOD ELEVATION AND FREEBOARD INSPECTION SIGNED OFF ON
BY A PROFESSIONAL ENGINEER.

5. ALL ROUGH-IN INSPECTIONS

PLUMBING

ELECTRICAL

ETC.

6. FOUNDATION

BEAMS

FOOTINGS

STEEL

NO WIRE MATS ACCEPTED. MUST BE REBAR MATS WITH PROPER
INSTALLATION. ALL NINETIES MUST BE FACTORY NINETY'S.

MUST HAVE THE PROPER CHAIRS TO LIFT THE REBAR MAT.

MUST HAVE WIND ZONE TIE DOWNS

7. PRE-POUR INSPECTION

8. EXTERIOR WALL INSPECTION

BLOCK

TILT WALL

METAL FRAMED

CONVENTIONAL FRAME

PROPER ANCHORING

WIND ZONE PROTECTION

SHEAR WALL INSPECTION

9. SHEATHING INSPECTION

10. INTERIOR WALL INSPECTION

11. PLUMBING TOP-OUT

12. ELECTRICAL ROUGH-IN

13. MECHANICAL ROUGH-IN

14. FIRE INSPECTION

15. INSULATION INSPECTION

16. ENERGY INSPECTION

WINDOWS

DOORS

17. WALL COVER-UP INSPECTION

18. FINAL FIRE INSPECTION

19. FINAL BUILDING INSPECTION

20. CERTIFICATE OF OCCUPANCY INSPECTION.